Voluntary Product Accessibility Template® (VPAT®) Revised Section 508 Edition

Version 2.4

About This Document	1
Essential Requirements and Best Practices for Information & Communications Technology (ICT) Vendors	3
Getting Started	3
Essential Requirements for Authors	3
Best Practices for Authors	6
Posting the Final Document	8
Table Information for VPAT® Readers	9
Westat Accessibility Conformance Report	10

About This Document

The VPAT is provided in four editions based on the standards/guidelines being evaluated. The editions are WCAG, Revised 508, EN 301 549 and International, which includes all of the standards.

This is the Revised Section 508 edition of the VPAT. It includes the following standards/guidelines:

- Web Content Accessibility Guidelines 2.0
- Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018

If you need a different combination of standards/guidelines then use the appropriate alternate edition of the VPAT found on the <u>ITI Accessibility web page</u>.

This document is broken into two main sections:

- Essential Requirements and Best Practices for using the VPAT® to complete an Accessibility Conformance Report (the instructions)
- The VPAT

Please carefully review the Essential Requirements and Best Practices sections before using the VPAT to create an Accessibility Conformance Report.

The purpose of these instructions is to promote accurate and consistent reporting of product accessibility information.

The VPAT is a template used to document a product's conformance with accessibility standards and guidelines. The purpose of the Accessibility Conformance Report is to assist customers and buyers in making preliminary assessments regarding the availability of commercial "Electronic and Information Technology," also referred to as "Information and Communication Technology" (ICT) products and services with features that support accessibility.

The Information Technology Industry Council (ITI) provides the VPAT. Use of the template and service mark does not require membership in ITI.

Essential Requirements and Best Practices for Information & Communications Technology (ICT) Vendors

This section provides guidance for reporting product conformance for major accessibility standards and guidelines using the VPAT® to produce the Accessibility Conformance Report. Deviating from these guidelines precludes vendors from referencing the template by name and/or the VPAT acronym.

Getting Started

- 1. Before creating a report, read all of the materials provided in this document.
- 2. Determine which accessibility standards/guidelines will be included in the Accessibility Conformance Report and use the appropriate VPAT file.
- 3. It is the vendor's responsibility to maintain the integrity of the data in the report.

Essential Requirements for Authors

The following are the minimum requirements to produce an Accessibility Conformance Report based on the VPAT[®].

- 1. The VPAT name and template are registered service marks of ITI. Use of the VPAT template and name requires the inclusion of the registered service mark (i.e., "VPAT®"). Users of the VPAT agree not to deviate from the Essential Requirements for Authors.
- 2. The template file can be used as is or replicated in a different delivery format, for example as HTML or PDF. The final conformance report must be accessible.
- 3. A report must contain the following content at a minimum:
 - Report Title In the heading format of "[Company Name] Accessibility Conformance Report"
 - VPAT Heading Information Template version
 - Name of Product/Version Name of Product being reported, including product version identifier if necessary
 - Report Date Date of report publication. At a minimum, provide the month and year of the report publication. For example, "May 2016". If date is included, ensure it is clear "4 May 2016" or "May 4, 2016".

- **Product Description** A brief description of the product
- Contact Information Contact Information for follow-up questions. Listing an email is sufficient.
- Notes Any details or further explanation about the product or the report.
 This section may be left blank.
- Evaluation Methods Used Include a description of evaluation methods used to complete the VPAT for the product under test.
- Applicable Standards/Guidelines A clear indication of which Standards/Guidelines this Conformance Report covers.
 - The list must include only the Standards/Guidelines used to evaluate the product.
 - The applicable Standards/Guidelines that are included in this VPAT edition are:
 - Web Content Accessibility Guidelines 2.0 or WCAG 2.0 (ISO/IEC 40500)
 - Revised Section 508 standards the U.S. Federal accessibility standard for ICT Products, published by the U.S. Access Board in the Federal Register on January 18, 2017 and corrected on January 22, 2018
 - If other Standards/Guidelines are reported, then use the appropriate VPAT edition.
 - This information can be in a table format at the top of the report with the table heading 'Standards/Guidelines' and the reported Standards/Guidelines identified. This information can alternatively be supplied in the introductory text of the report. In the VPAT we have used a table as an example and listed "(yes / no)" for each standard/guideline. To indicate what the report covers leave the appropriate yes or no on each standard/guideline.
 - If multiple Standards or Guideline tables are included, each table must identify the Standard or Guideline that the criteria in that table represent.
- Terms The report must list the definition of the terms used in the Conformance Level column. ITI recommends the following terms. If a vendor deviates from the ITI definitions, the vendor shall reference this change in the heading Notes section. If a term is not used it can be removed from the list. The ITI definitions are: This can only be used in WCAG 2.x Level AAA

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports**: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.

<u>Note</u>: When filling in the WCAG tables, a response may use 'Supports' where one might otherwise be inclined to use 'Not Applicable'. This is in keeping with <u>WCAG 2.0 Understanding Conformance</u>: This means that if there is no content to which a success criterion applies, the success criterion is satisfied.

- Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG 2.x Level AAA.
- Tables for Each Standard or Guideline Tables showing the responses to the criteria.
- 4. WCAG Conformance Information The answers in the WCAG success criteria are based on the level of conformance being reported (Level A, AA or AAA).
 - These tables are used to answer:
 - Revised Section 508:
 - Chapter 5 Software
 - Chapter 6 Support Documentation
 - The selected levels of WCAG 2.0 Guidelines.
 - If using a summary table, due to answers applying to multiple criteria, when answering for the Revised Section 508, the answers need to be clear about which individual criteria the answer applies to. It is possible to either use a summary, selecting the worst case for the criteria, or to have separate answers or even tables for software, support documentation, authoring tools, etc., so long as the methodology used is made clear.
- 5. Remarks and Explanations Detailed remarks should be provided in the Remarks and Explanations column to justify your answer in the Conformance Level column.
 - When the conformance level is 'Partially Supports' or 'Does Not Support', the remarks should identify:
 - 1. The functions or features with issues
 - 2. How they do not fully support

- If the criterion does not apply, explain why.
- If an accessible alternative is used, describe it.
- 6. In the Section 508 tables, when subsections of criteria do not apply to the product, the section may be summarized or removed as long as an explanation is provided explaining why a criterion does not apply. Another alternative is to leave the table and add a summary why the section does not apply. For example, in Chapter 5 the criteria in 502 and 503 will not apply to a web only application, thus those sections can be removed with a summary in the notes for the chapter, or a row in the table.

Best Practices for Authors

ITI suggests that authors adopt the following best practices when using the VPAT® to create an Accessibility Conformance Report.

- Branding Header: Company logo or branding information
- Report Date Changes: If a report is revised, change the report date and
 explain the revision in the Notes section. Alternately, create a new report and
 explain in the Notes section that it supersedes an earlier version of the report.
- Notes: Add any notes applicable to product or the report
 - Additional information about the product version that the document references
 - Any revisions to the document
 - Links to any related documents
 - Additional information describing the product
 - Additional information about what the document does or does not cover
 - Information suggested by the WCAG 2.0 Conformance Claim
 - Information needed to satisfy ISO/IEC 17050-1:2004, Supplier's Declaration of Conformity
- Evaluation Methods Used Information to enter may include the following:
 - Testing is based on general product knowledge
 - Similar to another evaluated product
 - Testing with assistive technologies
 - Published test method (provide name, publisher, URL link)
 - Vendor proprietary test method

- Other test method
- Remarks and Explanations: This section may include:
 - Information regarding the testing of a given criteria.
 - Information on application dependencies to support accessibility (e.g. OS, app frameworks, browsers recommended).
 - How the customer can find more information about accessibility issues.
 One method can be to include the bug ID where customers can call the company's customer support to get additional information.
 - Known workarounds for accessibility issues.
- Legal Disclaimer: Area for any legal disclaimer text required by your organization.
- Report Size: To reduce the size of the report it is acceptable to remove sections. Individual criteria cannot be removed, only sections at a time. Section removal is acceptable in four situations:
 - When an entire section is not being reported on because it does not apply to the product, for example:
 - Chapter 4: Hardware. Information should be included in the notes for that section why it has been removed.
 - A card reader that doesn't have sound could remove the criteria in section 413 Closed Caption Processing Technologies and just note the why the criteria doesn't apply.
 - If the product is not being evaluated for a level of the criteria (for example Level AAA) then that table may be deleted.
 - If a requesting customer has identified that a section of the standard does not apply, information should be included in the notes that the section has been removed.
- **WCAG 2.0 Tables:** The WCAG 2.0 criteria are shown in three tables, Level A, Level AA, and Level AAA.
 - If desired, these tables can be combined into one table.
 - When reporting on a level (A, AA or AAA) all criteria for that level must be answered.
- Language: Translation to other languages is permitted.
- Multiple Reports: When using the VPAT to create an Accessibility
 Conformance Report for complex products it may be helpful to separate
 answers into multiple reports. For example, when a product is an Authoring
 Tool that also has web content and documentation. When multiple reports

- are used for a complex product, it is required to explain this and how to reach the other reports in the Notes section of each report.
- **Criteria Text:** To help conserve space in the ITI template only the criteria ID number and a short title have been included. Where possible, links have been included to the standard/guideline.
 - It is acceptable to add the full text of the criteria into the cell if desired to help with understanding.
 - The links to the standards/guidelines can be removed.
- Ordering of Tables: The order that the standard and guideline tables appear may be changed to facilitate reading. The current order is WCAG then Section 508. You can change this order to insert the WCAG criteria into the Section 508 tables.
- Guideline Section Heading Rows in Tables: The tables include heading rows to facilitate understanding the context of the criteria.
 - The cells in these rows do not require answers as indicated by "Heading cell – no response required."
 - It is optional to add a response if desired.
 - The shading of the row is also optional.
 - If removing the heading rows, edit the criteria titles so it's clear where they apply.

Posting the Final Document

- When publishing your Accessibility Conformance Report, be sure to remove the entire first 9 pages of this document, including the table of contents, introductory information and instructions.
- Check for each required item in the VPAT® document:
 - [Company Name] Accessibility Conformance Report (report title)
 - (Based on VPAT® Version 2.4)
 - Name of Product/Version
 - Report Date
 - Product Description
 - Contact Information
 - Notes

- Evaluation Methods Used
- Applicable Standards/Guidelines
- Terms
- Tables for Each Standard or Guideline
 - Check that there is a response for each criterion for 'Conformance Level' and 'Remarks and Explanations.'
- · Verify that the final document is accessible.
- Post your final document on your company's web site, or make the document available to customers upon request.

Table Information for VPAT® Readers

For each of the standards, the criteria are listed by chapter in a table. The structures of the tables are: the first column contains the criteria being evaluated, the second column describes the level of conformance of the product regarding the criteria and the third column contains any additional remarks and explanations regarding the product.

- When sections of criteria do not apply, or are deemed by the customer as Not Applicable, the section is noted as such and the rest of that table may be removed for that section.
- When multiple standards are being recorded in this document, the duplicative sections are noted and responded to only one time. The duplicate entry will note the cross reference to the data.

Westat Accessibility Conformance Report Revised Section 508 Edition

(Based on VPAT® Version 2.4)

Name of Product/Version: NIH Workplace Equity and Diversity Survey

Report Date: 5/4/2022

Product Description: Qualtrics Based Data Collection System

Contact Information: David Rockwell DavidRockwell@Westat.com

Assumptions: Both current (existing) and new dashboarding product developed by Westat or provided by CDC will be subject to review and conformance with all requirements in Section 508 of the Rehabilitation Act of 1973, as amended in 1998, as well as Priority Levels A and AA of the W3C's Web Content Accessibility Guidelines (WCAG), v2.0 outlined at https://www.w3.org/TR/WCAG20/. The same requirements will apply to the data collection web survey product developed by Westat.

Constraints: Proposed content, specifically select graphics, images or scans, that does not conform to Section 508 of the Rehabilitation Act of 1973 may not be published to the website(s), unless an exception is granted..

Evaluation Methods Used: Trusted Tester Version 5 for Web (U.S. Dept. of Homeland Security)

Applicable Standards/Guidelines

[&]quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.0 Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <a href="https://www.wcashedu.com/wcashed

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Information about user interface elements and images will be conveyed using text alternatives.
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	There is no pre-recorded audio or video content
1.2.2 Captions (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	There is no pre-recorded audio, so captions are unnecessary.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	Will support screen readers. We are working on full support for navigation software like Dragon Naturally Speaking. There is no pre-recorded video.
1.3.1 Info and Relationships (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool)	Partial Supports	All content structure will be programmatically determined or is non-essential for use. Currently working with Qualtrics to remediate in their template. Due to the limitations of the Qualtrics platform, JAWS

Criteria	Conformance Level	Remarks and Explanations
• 602.3 (Support Docs)		and NVDA readers will incorrectly read the progress bar information.
1.3.2 Meaningful Sequence (Level A) Also applies to: Revised Section 508	Supports	All content structure will be programmatically
501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs)	Supports	determined or is non-essential for use or understanding.
1.3.3 Sensory Characteristics (Level A)		
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	Instructions for content will not rely on sensory characteristics.
1.4.1 Use of Color (Level A)		
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	The system will allow for alternative methods to convey information other than color alone.
1.4.2 Audio Control (Level A)		
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	Audio content is not present.
2.1.1 Keyboard (Level A)		
Also applies to:		
Revised Section 508	Supports	The system will support keyboard functionality.
501 (Web)(Software)504.2 (Authoring Tool)		
• 602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
2.1.2 No Keyboard Trap (Level A)		
Also applies to:	Sugar and a	
Revised Section 508		
• 501 (Web)(Software)	Supports	Any keyboard traps will be eliminated.
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
2.2.1 Timing Adjustable (Level A)		
Also applies to:		
Revised Section 508	Niet Ameliaskia	No time are will be a seed
• 501 (Web)(Software)	Not Applicable	No timers will be used.
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
2.2.2 Pause, Stop, Hide (Level A)		
Also applies to:		
Revised Section 508	Niet Ameliaskia	The are will be a second as a second
• 501 (Web)(Software)	Not Applicable	There will be no moving content.
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
2.3.1 Three Flashes or Below Threshold (Level A)		
Also applies to:		
Revised Section 508	Not Applicable	No blinking or flocking content will be account
• 501 (Web)(Software)		No blinking or flashing content will be present.
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A)		
Also applies to:		
Revised Section 508	Supports	Blocks of content repeated across pages will be
 501 (Web)(Software) – Does not apply to non-web software 	Supports	bypassed.
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		
2.4.2 Page Titled (Level A)		
Also applies to:	Supports	All elements will be consistently identified.
Revised Section 508		

Criteria	Conformance Level	Remarks and Explanations
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.3 Focus Order (Level A)		
Also applies to:		
Revised Section 508	Supports	Focus order will follow programmatically determined
• 501 (Web)(Software)	Supports	logical reading order.
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.4 Link Purpose (In Context) (Level A)		
Also applies to:		All links will be unique and the purpose will be
Revised Section 508	Supports	determined through text alone, or from the link text
• 501 (Web)(Software)	Supports	together with its programmatically determined context.
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.1.1 Language of Page (Level A)		
Also applies to:		
Revised Section 508	Sunnorts	The default language will be programmatically determined.
• 501 (Web)(Software)	Supports	
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.2.1 On Focus (Level A)		
Also applies to:		
Revised Section 508	Supports	On-screen indication of focus will be provided.
• 501 (Web)(Software)		р. с. т. с.
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.2.2 On Input (Level A)		
Also applies to:	Supports	Changing the settings or controls will not change context.
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		

Criteria	Conformance Level	Remarks and Explanations
• 602.3 (Support Docs)		
3.3.1 Error Identification (Level A)		
Also applies to:		
Revised Section 508	Supports	Error messages will be semantically related to their
• 501 (Web)(Software)	Supports	form element.
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.3.2 Labels or Instructions (Level A)		
Also applies to:		Form elements will be labeled and/or instructions
Revised Section 508	Supports	provided.
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
4.1.1 Parsing (Level A)		
Also applies to:		Correct structuring of elements will be supported.
Revised Section 508	Supports	
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
4.1.2 Name, Role, Value (Level A)		
Also applies to: Revised Section 508		User interface controls will provide names, states, roles, and values. Any indicated change will be available to users, including those using assistive technologies.
	Supports	
501 (Web)(Software)504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
• ooz.3 (3upport Docs)		

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)	Not Applicable	Live audio content will not be used.

Criteria	Conformance Level	Remarks and Explanations
Also applies to:		
Revised Section 508		
• 501 (Web)(Software)		
 504.2 (Authoring Tool) 		
 602.3 (Support Docs) 		
1.2.5 Audio Description (Prerecorded) (Level AA)		
Also applies to:		
Revised Section 508	Not Applicable	No Pre-recorded video content for synchronized media
• 501 (Web)(Software)	пот Аррисавіе	will be used.
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.3 Contrast (Minimum) (Level AA)		
Also applies to:		
Revised Section 508	Supports	All color and contrast selections/ratios will be
• 501 (Web)(Software)	Supports	supported.
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.4 Resize text (Level AA)		
Also applies to:		
Revised Section 508	Supports	Text will be able to be resized up to 200%.
• 501 (Web)(Software)		leke will be able to be resized up to 20070.
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.5 Images of Text (Level AA)		
Also applies to:		
Revised Section 508	Supports	Text will not be conveyed as an image and alt text will
• 501 (Web)(Software)	''	be properly used throughout.
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.5 Multiple Ways (Level AA)		More than one way will be available to locate a page
Also applies to: Revised Section 508	Supports	within a set of web pages or the web page will be the
		result of a process
501 (Web)(Software) – Does not apply to non-web s	Software	

Page **17** of **24**

Criteria	Conformance Level	Remarks and Explanations
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		
2.4.6 Headings and Labels (Level AA)		
Also applies to:		
Revised Section 508	Supports	Headings and labels will describe topic or purpose.
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.7 Focus Visible (Level AA)		
Also applies to:		
Revised Section 508	Supports	Onscreen indication of focus will be available when
• 501 (Web)(Software)		using the keyboard.
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.1.2 Language of Parts (Level AA)		
Also applies to:		Any passage or phrase in the content different from the default language will be programmatically identified to user agents and assistive technology.
Revised Section 508	Supports	
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.2.3 Consistent Navigation (Level AA)		
Also applies to:		
Revised Section 508	Supports	The system will provide consistent page layout.
• 501 (Web)(Software) – Does not apply to non-web software		
• 504.2 (Authoring Tool)		
602.3 (Support Docs) – Does not apply to non-web docs		
3.2.4 Consistent Identification (Level AA)		
Also applies to:		
Revised Section 508	Supports	The system will be consistent in identifying
• 501 (Web)(Software) – Does not apply to non-web software		programmatic elements.
• 504.2 (Authoring Tool)		
602.3 (Support Docs) – Does not apply to non-web docs		

Criteria	Conformance Level	Remarks and Explanations
3.3.3 Error Suggestion (Level AA)		
Also applies to:		User input centrals will provide suggestions to correct
Revised Section 508	Supports	User input controls will provide suggestions to correct
• 501 (Web)(Software)		errors.
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)		
Also applies to:		
Revised Section 508	Supports	No transactions or legally binding commitments are
• 501 (Web)(Software)	1	present, beyond terms of use.
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		

Table 3: Success Criteria, Level AAA

Notes: Level AAA was not evaluated.

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	Assistive Technology is supported.
302.2 With Limited Vision	Supports	Color contrast is supported and content can be enlarged up to 200%.
302.3 Without Perception of Color	Supports	No content is identified using color alone.
302.4 Without Hearing	Partially Supports	Will support screen readers
302.5 With Limited Hearing	Supports	Will support screen readers
302.6 Without Speech	Partially Supports	Speech is not required for use, but users of Dragon Naturally Speaking may encounter issues.
302.7 With Limited Manipulation	Supports	Keyboard functionality is supported.
302.8 With Limited Reach and Strength	Supports	Keyboard functionality is supported.
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	User support will be provided.

Chapter 4: <u>Hardware</u>

Notes: This is not a hardware product.

Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.0 section	See information in WCAG 2.0 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Will Support	

Criteria	Conformance Level	Remarks and Explanations
502.2.2 No Disruption of Accessibility Features	Partially Supports	The system will not disrupt or disable activated features of other products or systems.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Supports	User interface controls will provide names, states, roles, and values.
502.3.2 Modification of Object Information	Supports	States and properties that can be set by the user will be able to be set programmatically. The AT will be able to modify attributes using the software API, and accessible to speech recognition programs.
502.3.3 Row, Column, and Headers	Supports	All content structure will be programmatically determined.
502.3.4 Values	Supports	Allowable values associated with an object will be programmatically determinable.
502.3.5 Modification of Values	Supports	Values that can be set by the user will be able to be set programmatically by a disabled user, including through AT.
502.3.6 Label Relationships	Supports	Any relationships that a component has as a label for another component, or of being labeled by another component, will be programmatically determined by a disabled user and/or someone using AT.
502.3.7 Hierarchical Relationships	Supports	Any hierarchical (parent-child) relationship that a component has as a container for, or being contained by, another component, will be programmatically determinable by a disabled user.
502.3.8 Text	Supports	The content of text objects, text attributes, and the boundary of text rendered to the screen will be programmatically determinable.

Criteria	Conformance Level	Remarks and Explanations
502.3.9 Modification of Text	C	Text that can be set by the user will be
	Supports	able to be set programmatically by a
		disabled user, including through AT.
		A list of all actions that can be executed on
		all objects programmatically will be
		determinable by a disabled user, including
	Supports	through AT. The AT user will be able to
502.3.10 List of Actions	Supports	access all supported actions without
		having to use a different method like a
		context menu, which would require extra
		steps. In other words, equal access to
		using any possible short-cut keys.
	Supports	The system will allow users of assistive
502.3.11 Actions on Objects	Supports	technologies to programmatically execute
		available actions or objects.
502.3.12 Focus Cursor	Supports	Onscreen indication of focus will be
302.3.12 T 0003 C01301		available when using the keyboard.
		Focus, text insertion points, and selection
		attributes that can be set by the user will
		be able to be set programmatically by a
		disabled user, including through the use of
502.3.13 Modification of Focus Cursor	Supports	assistive technology. AT users (other than
502.51.25 (Woulded to 1.1.0005 Cu. 501		keyboard users) will be able to manipulate
		features in the application. For example,
		someone using speech recognition
		software can use voice commands to set
		text insert points or move the cursor.
	Supports	All notifications of events relevant to user
502.3.14 Event Notification		interactions, including but not limited to
		changes in the component's state(s),
		value, name, description, or boundary, will
		be available to disabled users, including
		those using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.4 Platform Accessibility Features	Partially Supports	Speech is not required for use, but users of Dragon Naturally Speaking may encounter issues.
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	User preferences for color contrast, font type, font size, and focus will be based on browser capability.
503.3 Alternative User Interfaces	Partially Supports	Speech is not required for use, but users of Dragon Naturally Speaking may encounter issues.
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	There will be no audio.
503.4.2 Audio Description Controls	Supports	Will support Screen Readers
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "Not Applicable")	See WCAG 2.0 section	See information in WCAG 2.0 section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	Not an authoring tool
504.2.2 PDF Export	Not Applicable	Not an authoring tool
504.3 Prompts	Not Applicable	Not an authoring tool
504.4 Templates	Not Applicable	Not an authoring tool

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features		Assistive Technologies for the blind and
	Supports	visually impaired will be supported.
		Speech is not required for use, but users of

Criteria	Conformance Level	Remarks and Explanations
		Dragon Naturally Speaking may encounter
		issues.
602.3 Electronic Support Documentation	See WCAG 2.0 section	See information in WCAG 2.0 section
602.4 Alternate Formats for Non-Electronic Support Documentation		Alternative format of documentation for
	Supports	end users can be produced upon request
		at no additional charge.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	Alternative format of documentation for
		end users can be produced upon request
		at no additional charge.
603.3 Accommodation of Communication Needs		The system will provide contact
	Supports	information to offer support for end users
		who experience difficulties.

Legal Disclaimer

Westat strives to meet the Rehabilitation Act standards and we have implemented review procedures to provide prompt and equitable resolution of complaints alleging a failure to meet the standards. Our Section 508 Coordinator is our point of contact for all matters related to Section 508 compliance. Westat will not retaliate against anyone who files a complaint or cooperates in the investigation of a complaint.